
MBA 2332
MBA 3232



1.45 x 3.2 m

2300 / 3200 kg

22 Persons

0-44 m/min

TRANSPORT PLATFORMS

GOODS HOISTS

CONSTRUCTION HOISTS

MAST CLIMBERS

MABER®
Lifting Technologies


MADE IN ITALY SINCE 1988

CONSTRUCTION HOIST: Builders' hoist for personell and goods with vertically guided cages built in line with EN12159, using the traditional system or VFD (Variable Frequency Drive). Available in different platform sizes, voltage, types of ramps, cage doors, colours and speed. Possibility to choose different accessories. Customizable for specific needs.

MODEL	UOM	MBA 2332	MBA 3232
TYPE		BUILDERS HOISTS FOR PERSONS AND MATERIALS	BUILDERS HOISTS FOR PERSONS AND MATERIALS
STANDARD OF REFERENCE		EN 12159	EN 12159
RATED LOAD	kg	2300 *	3200 *
MAX HEIGHT	m	150	150
TIES SPACING	m	12	12
OVERHANG	m	4.5	4.5
PLATFORM WIDTH (W)	m	1.45	1.45
PLATFORM LENGTH (L)	m	3.2 *	3.2 *
PLATFORM HEIGHT (H)	m	2.4	2.4
RUNNING SPEED	m/min	0 - 44	0 - 44
MOTOR POWER	kW	2 X 9.2	3 X 9.2
MAX PERSONS	No.	22	22
DRIVE CONTROL	Type	VFD - VARIABLE FREQUENCY DRIVE	VFD - VARIABLE FREQUENCY DRIVE
SUPPLY VOLTAGE / FREQUENCY	V/Hz	THREE-PHASE 400 / 50 **	THREE-PHASE 400 / 50 **
STARTING CURRENT	A	63	95
RCD	mA	300	300
POWER SUPPLY	kVA	41	65

* capacity/length based on loading diagram | ** different voltage/frequency available

Different configurations



Landing Doors/Gates

REDUCED HEIGHT LANDING GATE




FULL HEIGHT LANDING GATE



MAST SECTION

W = 726 mm
L = 726 mm
H = 1495 mm

WEIGHT 138 Kg




USED IN MABER MODELS:

Transport Platform: MBC 50
Goods Hoist: MB 50
Costruction Hoist: MBA 2332, MBA 3232

Technical Information

CONSTRUCTION HOISTS

CE



DIMENSIONS

W= 1.45 m	**L**= 3.2 m	**H**= 2.4 m
W_B= 2.6 m	L_B= 3.55 m	H_B= 3.1 m

FEATURES

• Display both on board and ground station • Overload detection device • 2.4 m base enclosure • Emergency brake
• Certified by notified body • Rack lubrication pump (option) • Remote connection and cloud data storage (option)









Maber Hoist Srl
Via Dell'Industria e dell'Artigianato, 16
35010 Carmignano di Brenta (PD), Italy

+39 049 595 89 75

info@maber.eu

www.maber.eu